

# REQUEST FOR EXPEDITED VARIANCE



2620 Airport Drive  
Ord, Nebraska 68862  
Phone (308) 728-3221 FAX (308) 728-5669  
www.llnrd.org

All variance requests must be accompanied by the \$300 fee.

## Landowner

Name: \_\_\_\_\_ Phone: \_\_\_\_\_

Address \_\_\_\_\_

e-mail address \_\_\_\_\_

## Field Information

Legal Description of Field: Section(s) \_\_\_\_\_, Township \_\_\_\_\_ North, Range \_\_\_\_\_ East/West, \_\_\_\_\_ County

Type of Expedited Variance Requested (check one):

- 1) For alternative irrigation method used for public information or demonstration project
- 2) For drilling a supplemental well
  - Requires written agreement to not exceed acres irrigated before January 1, 2006
- 3) For drilling new well to supplement surface water
  - Requires written agreement that the surface water right will be maintained and that the well will only be used when the surface water has been exhausted or not available at the normal rotation or the scheduled time
  - Requires written agreement that the irrigated acres will not exceed the acres currently irrigated
- 4) For variance from the raised seal original record of irrigated acres from the County Assessor on land previously irrigated before being enrolled in to a federal, state or local government conservation program
  - Acres had to be irrigated just before being enrolled
  - Acres are not assessed as irrigated within that county
  - Acres are certified through the irrigated acres certification process following the conservation program contract termination

Explanation of Expedited Variance Request (Use additional pages if needed):

\_\_\_\_\_  
\_\_\_\_\_

## PLEASE BE ADVISED:

Management Area rules and regulations are subject to change. As per the Groundwater Management Area Rules & Regulations, any new irrigated acres or irrigation well developed after May 9, 2016, may be subject to additional restrictions as the Board of Directors deems reasonable and necessary in light of hydrologic conditions within the District.

In accordance to District policy, all Variances will require that a District approved flow meter be installed and operational prior to future operation of this system.

Landowner Signature: \_\_\_\_\_ Date \_\_\_\_\_

NRD Approval by \_\_\_\_\_ Date \_\_\_\_\_

For NRD Use Only	Required Documentation
IrrigatedAcresID: _____	Appropriate Written Agreement _____
Contact ID: _____	Certification of Irrigated Acres Form _____